

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 02-Jul-2024 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Catalog Number:	Product Description:
40-4330-XX	0.02M lodine in Tetrahydrofuran/Pyridine/Water (70:20:10)

Product Code(s)
40-4330-XX
Product Name
Oxidizing Solution

Pure substance/mixture Mixture Contains Tetrahydrofuran; Pyridine; Iodine

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use For research use only

Uses advised against Not for human diagnostic use

1.3. Details of the supplier of the safety data sheet

Manufacturer

Glen Research LLC 22825 Davis Drive Sterling, VA 20164 USA

For further information, please contact

E-mail address support@glenresearch.com

Website www.glenresearch.com

Company Phone Number 1-703-437-6191

1.4. Emergency telephone number

Emergency Telephone CHEMTREC Customer Number (CCN): 234802 Glen Research Corporation

US: 1-800-424-9300 or Local: +1-703-527-3887

EMEA: +44 20 3885 0382 APAC: +65 3163 8374

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

1.094.41.01. (20) 1.01.12.2200 [02.]	
Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 4 - (H312)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Serious eye damage/eye irritation	Category 2 - (H319)

Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Respiratory irritation	
Chronic aquatic toxicity	Category 2 - (H411)
Flammable liquids	Category 2 - (H225)

2.2. Label elements

Contains Tetrahydrofuran; Pyridine; Iodine



Signal word Danger

Hazard statements

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H411 - Toxic to aquatic life with long lasting effects

H225 - Highly flammable liquid and vapor

EUH019 - May form explosive peroxides

Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P391 - Collect spillage

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Toxic to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	,	Classification according to Regulation (EC) No. 1272/2008 [CLP]	•	M-Factor	M-Factor (long-term)
Tetrahydrofuran 109-99-9	58-83	No data available	(603-025-00 -0) 203-726-8	Eye Irrit. 2 (H319) Carc. 2 (H351) STOT SE 3 (H335)	Eye Irrit. 2 :: C>=25% STOT SE 3 ::	-	-

				Flam. Liq. 2 (H225) (EUH019)	C>=25%		
Pyridine 110-86-1	10-30	No data available	203-809-9 (613-002-00 -7)	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Flam. Liq. 2 (H225)	-	-	-
lodine 7553-56-2	0.1-1	No data available	1,	Acute Tox. 4 (H312) Acute Tox. 4 (H332) Aquatic Acute 1 (H400)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Tetrahydrofuran 109-99-9	1650	2000	No data available	No data available	No data available
Pyridine 110-86-1	866	1000	12.898	No data available	No data available
lodine 7553-56-2	14000	1425 2000	4.588	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or con	cerned: Get
----------------	--	-------------

medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If symptoms

persist, call a physician. If breathing has stopped, give artificial respiration. Get medical

attention immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Not an expected route of exposure. IF exposed or if you feel unwell: Call a POISON

CENTER or doctor/physician. Get medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing. Avoid breathing vapors or mists.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation. Coughing and/ or wheezing.

Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Nitrog

Nitrogen oxides (NOx). Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective e

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid breathing

vapors or mists.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections

See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Tetrahydrofuran	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	STEL: 100 ppm	TWA: 50 ppm
109-99-9	TWA: 150 mg/m ³	TWA: 150 mg/m ³	TWA: 150 mg/m ³	STEL: 300.0 mg/m ³	TWA: 150 mg/m ³
	STEL: 100 ppm	STEL 100 ppm	STEL: 100 ppm	TWA: 50.0 ppm	STEL: 100 ppm
	STEL: 300 mg/m ³	STEL 300 mg/m ³	STEL: 300 mg/m ³	TWA: 150.0 mg/m ³	STEL: 300 mg/m ³
	*	H*	D*	K*	*
Pyridine	TWA: 5 ppm	TWA: 5 ppm	TWA: 1 ppm	TWA: 15.0 mg/m ³	TWA: 5 ppm
110-86-1	TWA: 15 mg/m ³	TWA: 15 mg/m ³	TWA: 3.3 mg/m ³		TWA: 15 mg/m ³
		STEL 20 ppm	-		-
		STEL 60 mg/m ³			
		Sk*			
Iodine	-	TWA: 0.1 ppm	TWA: 0.01 ppm	TWA: 3.0 mg/m ³	STEL: 0.1 ppm

	T				
7553-56-2		TWA: 1 mg/m ³	TWA: 0.1 mg/m ³		STEL: 1.1 mg/m ³
		STEL 1 mg/m3	STEL: 0.1 ppm		
		STEL 1 mg/m ³ Ceiling: 0.1 ppm	STEL: 1 mg/m ³		
		Ceiling: 0.1 ppm Ceiling: 1 mg/m ³			
		Sk*			
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Tetrahydrofuran	*	TWA: 150 mg/m ³	TWA: 50 ppm	S+	TWA: 50 ppm
109-99-9	STEL: 100 ppm	Ceiling: 300 mg/m ³	TWA: 150 mg/m ³	TWA: 50 ppm	TWA: 150 mg/m ³
	STEL: 300 mg/m ³	D*	H*	TWA: 150 mg/m ³	STEL: 100 ppm
	TWA: 50 ppm		STEL: 300 mg/m ³	STEL: 100 ppm	STEL: 300 mg/m ³
	TWA: 150 mg/m ³		STEL: 100 ppm	STEL: 300 mg/m ³ A*	iho*
Pyridine	TWA: 5 ppm	TWA: 5 mg/m ³	TWA: 5 ppm	TWA: 5 ppm	TWA: 1 ppm
110-86-1	TWA: 15 mg/m ³	Sk*	TWA: 15 mg/m ³	TWA: 15 mg/m ³	TWA: 3 mg/m ³
		Ceiling: 10 mg/m ³	STEL: 10 ppm	Ŭ	STEL: 5 ppm
			STEL: 30 mg/m ³		STEL: 16 mg/m ³
					Sk*
lodine	-	TWA: 0.1 mg/m ³	Ceiling: 0.1 ppm	STEL: 0.1 ppm	STEL: 0.1 ppm
7553-56-2		Ceiling: 1 mg/m ³	Ceiling: 1 mg/m ³	STEL: 1 mg/m ³	STEL: 1.1 mg/m³ Sk*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Tetrahydrofuran	TWA: 50 ppm	TWA: 50 ppm	TWA: 20 ppm	TWA: 200 ppm	TWA: 150 mg/m ³
109-99-9	TWA: 150 mg/m ³	TWA: 150 mg/m ³	TWA: 60 mg/m ³	TWA: 590 mg/m ³	TWA: 50 ppm
	STEL: 100 ppm	H*	Peak: 40 ppm	STEL: 250 ppm	STEL: 300 mg/m ³
	STEL: 300 mg/m ³		Peak: 120 mg/m ³	STEL: 735 mg/m ³	STEL: 100 ppm
	*		*		b*
Pyridine	TWA: 5 ppm	-	Sk*	TWA: 5 ppm	TWA: 15 mg/m ³
110-86-1	TWA: 15 mg/m ³ STEL: 10 ppm			TWA: 15 mg/m³ STEL: 10 ppm	TWA: 5 ppm STEL: 30 mg/m ³
	STEL: 10 ppin STEL: 30 mg/m ³			STEL: 10 ppm STEL: 30 mg/m ³	STEL: 30 mg/m²
	OTEL: 30 mg/m			01LL: 00 mg/m	Sk*
					SZ+
lodine	STEL: 0.1 ppm	-	Sk*	TWA: 0.1 ppm	TWA: 1 mg/m ³
7553-56-2	STEL: 1 mg/m ³			TWA: 1 mg/m ³	TWA: 0.1 ppm
				STEL: 0.1 ppm	STEL: 1 mg/m ³
				STEL: 1 mg/m ³	STEL: 0.1 ppm
					Sk* sz+
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Tetrahydrofuran	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	O*
109-99-9	TWA: 150 mg/m ³	TWA: 150 mg/m ³	TWA: 147 mg/m ³	TWA: 150 mg/m ³	TWA: 50 ppm
	STEL: 100 ppm	STEL: 100 ppm	STEL: 100 ppm	STEL: 100 ppm	TWA: 150 mg/m ³
	STEL: 300 mg/m ³	STEL: 300 mg/m ³	STEL: 295 mg/m ³	STEL: 300 mg/m ³	STEL: 100 ppm
Duriding	Sk*	cute*	cute*	Ada* TWA: 5 ppm	STEL: 300 mg/m ³
Pyridine 110-86-1	TWA: 5 ppm TWA: 15 mg/m ³	-	TWA: 1 ppm TWA: 3.2 mg/m ³	TWA: 5 ppm TWA: 15 mg/m ³	TWA: 5 ppm TWA: 15 mg/m ³
110 00 1	STEL: 10 ppm		. **/ t. O.Z mg/m		. **/ 1. 10 1119/111
	STEL: 30 mg/m ³				
lodine	TWA: 0.01 ppm	-	TWA: 0.01 ppm	TWA: 1 mg/m ³	Ceiling: 0.1 ppm
7553-56-2	TWA: 0.01 mg/m ³		STEL: 0.1 ppm		Ceiling: 1 mg/m ³
	STEL: 0.1 ppm	N4 15	NI di i	N	D 1
Chemical name	Luxembourg Peau*	Malta skin*	Netherlands	Norway TWA: 50 ppm	Poland STEL: 300 mg/m³
Tetrahydrofuran 109-99-9	STEL: 100 ppm	STEL: 100 ppm	TWA: 100 ppm TWA: 300 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³	TWA: 150 mg/m ³
100 00 0	STEL: 300 mg/m ³	STEL: 300 mg/m ³	STEL: 200 ppm	STEL: 75 ppm	skóra*
	TWA: 50 ppm	TWA: 50 ppm	STEL: 600 mg/m ³	STEL: 187.5 mg/m ³	22.5
	TWA: 150 mg/m ³	TWA: 150 mg/m ³	H*	H*	
Pyridine	TWA: 5 ppm	TWA: 5 ppm	TWA: 0.3 ppm	TWA: 5 ppm	TWA: 5 mg/m ³
110-86-1	TWA: 15 mg/m ³	TWA: 15 mg/m ³	TWA: 0.9 mg/m ³	TWA: 15 mg/m ³	Sk*
				STEL: 10 ppm	

				STEL: 2		2.5 mg/m ³	
Iodine		-	-	-		: 0.1 ppm	TWA: 0.5 mg/m ³
7553-56-2					Ceiling	: 1 mg/m³	STEL: 1 mg/m ³
Chemical name		Portugal	Romania	Slovakia	Slovenia		Spain
Tetrahydrofuran		/A: 50 ppm	TWA: 50 ppm	TWA: 50 ppm		50 ppm	TWA: 50 ppm
109-99-9		: 150 mg/m ³	TWA: 150 mg/m ³	TWA: 150 mg/m ³		50 mg/m ³	TWA: 150 mg/m ³
		L: 100 ppm	STEL: 100 ppm	K*		100 ppm	STEL: 100 ppm
		_: 300 mg/m ³	STEL: 300 mg/m ³	Ceiling: 300 mg/m ³	STEL: 3	300 mg/m ³	STEL: 300 mg/m ³
	(Cutânea*	P*			K*	vía dérmica*
Pyridine		VA: 5 ppm	TWA: 5 ppm	TWA: 5 ppm		: 5 ppm	TWA: 1 ppm
110-86-1	TWA	4: 15 mg/m ³	TWA: 15 mg/m ³	TWA: 15 mg/m ³	TWA:	15 mg/m ³	TWA: 3 mg/m ³
lodine	TW	A: 0.01 ppm	TWA: 0.09 ppm	TWA: 0.1 ppm		-	TWA: 0.01 ppm
7553-56-2	STE	EL: 0.1 ppm	TWA: 0.5 mg/m ³	TWA: 1.1 mg/m ³			TWA: 0.1 mg/m ³
			STEL: 0.2 ppm	Ceiling: 1.1 mg/m ³			STEL: 0.1 ppm
			STEL: 1 mg/m ³				STEL: 1 mg/m ³
Chemical name		Sı	weden	Switzerland		Uni	ted Kingdom
Tetrahydrofuran			: 50 ppm	TWA: 50 ppm			VA: 50 ppm
109-99-9			150 mg/m ³	TWA: 150 mg/m			A: 150 mg/m ³
109-99-9		Bindande l	KGV: 100 ppm	STEL: 100 ppm	า	ST	EL: 100 ppm
109-99-9		Bindande l		STEL: 100 ppm STEL: 300 mg/n	า	ST	EL: 100 ppm L: 300 mg/m ³
		Bindande I Bindande K	KGV: 100 ppm GV: 300 mg/m ³	STEL: 100 ppm STEL: 300 mg/n H*	า	STI STE	EL: 100 ppm 'L: 300 mg/m³ Sk*
Pyridine		Bindande I Bindande K NG\	KGV: 100 ppm GV: 300 mg/m ³ /: 2 ppm	STEL: 100 ppm STEL: 300 mg/n H* TWA: 5 ppm	า า ³	STI STE	EL: 100 ppm :L: 300 mg/m³ Sk* WA: 5 ppm
		Bindande K Bindande K NG\ NGV:	KGV: 100 ppm GV: 300 mg/m ³ /: 2 ppm : 7 mg/m ³	STEL: 100 ppm STEL: 300 mg/n H* TWA: 5 ppm TWA: 15 mg/m	า ก ³ 	STI STE T' TW	EL: 100 ppm L: 300 mg/m³ Sk* WA: 5 ppm 'A: 16 mg/m³
Pyridine		Bindande K Bindande K NG\ NGV: Vägledand	KGV: 100 ppm GV: 300 mg/m ³ /: 2 ppm : 7 mg/m ³ le KGV: 3 ppm	STEL: 100 ppm STEL: 300 mg/n H* TWA: 5 ppm TWA: 15 mg/m STEL: 10 ppm	า ก ³ 	STI STE T' TW ST	EL: 100 ppm L: 300 mg/m³ Sk* WA: 5 ppm 'A: 16 mg/m³ 'EL: 10 ppm
Pyridine 110-86-1		Bindande K Bindande K NGV: Vägledand Vägledande	KGV: 100 ppm GV: 300 mg/m³ /: 2 ppm : 7 mg/m³ le KGV: 3 ppm KGV: 10 mg/m³	STEL: 100 ppm STEL: 300 mg/n H* TWA: 5 ppm TWA: 15 mg/m STEL: 10 ppm STEL: 30 mg/m	າ ກ ³ 3 3	STI STE T' TW ST STE	EL: 100 ppm fL: 300 mg/m³ Sk* WA: 5 ppm /A: 16 mg/m³ FEL: 10 ppm EL: 33 mg/m³
Pyridine 110-86-1 Iodine		Bindande K Bindande K NGV NGV: Vägledand Vägledande Bindande	KGV: 100 ppm GV: 300 mg/m³ /: 2 ppm : 7 mg/m³ le KGV: 3 ppm KGV: 10 mg/m³ KGV: 0.1 ppm	STEL: 100 ppm STEL: 300 mg/n H* TWA: 5 ppm TWA: 15 mg/m STEL: 10 ppm STEL: 30 mg/m TWA: 0.1 ppm	1 1 ³ 3	STI STE T' TW ST STE ST	EL: 100 ppm SL: 300 mg/m³ Sk* WA: 5 ppm YA: 16 mg/m³ EL: 10 ppm EL: 33 mg/m³ EL: 0.1 ppm
Pyridine 110-86-1		Bindande K Bindande K NGV NGV: Vägledand Vägledande Bindande	KGV: 100 ppm GV: 300 mg/m³ /: 2 ppm : 7 mg/m³ le KGV: 3 ppm KGV: 10 mg/m³	STEL: 100 ppm STEL: 300 mg/n H* TWA: 5 ppm TWA: 15 mg/m STEL: 10 ppm STEL: 30 mg/m TWA: 0.1 ppm TWA: 1 mg/m³	n n ³ 3	STI STE T' TW ST STE ST	EL: 100 ppm fL: 300 mg/m³ Sk* WA: 5 ppm /A: 16 mg/m³ FEL: 10 ppm EL: 33 mg/m³
Pyridine 110-86-1 Iodine		Bindande K Bindande K NGV NGV: Vägledand Vägledande Bindande	KGV: 100 ppm GV: 300 mg/m³ /: 2 ppm : 7 mg/m³ le KGV: 3 ppm KGV: 10 mg/m³ KGV: 0.1 ppm	STEL: 100 ppm STEL: 300 mg/n H* TWA: 5 ppm TWA: 15 mg/m STEL: 10 ppm STEL: 30 mg/m TWA: 0.1 ppm TWA: 1 mg/m³ STEL: 0.1 ppm	n n ³ 3 3	STI STE T' TW ST STE ST	EL: 100 ppm SL: 300 mg/m³ Sk* WA: 5 ppm YA: 16 mg/m³ EL: 10 ppm EL: 33 mg/m³ EL: 0.1 ppm
Pyridine 110-86-1 Iodine		Bindande K Bindande K NGV NGV: Vägledand Vägledande Bindande	KGV: 100 ppm GV: 300 mg/m³ /: 2 ppm : 7 mg/m³ le KGV: 3 ppm KGV: 10 mg/m³ KGV: 0.1 ppm	STEL: 100 ppm STEL: 300 mg/n H* TWA: 5 ppm TWA: 15 mg/m STEL: 10 ppm STEL: 30 mg/m TWA: 0.1 ppm TWA: 1 mg/m³	n n ³ 3 3	STI STE T' TW ST STE ST	EL: 100 ppm SL: 300 mg/m³ Sk* WA: 5 ppm YA: 16 mg/m³ EL: 10 ppm EL: 33 mg/m³ EL: 0.1 ppm

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulg	garia	Croatia		Czech Republic	
Tetrahydrofuran	-	-		-	2 mg/L - urir		-	
109-99-9					(Tetrahydrofura			
					at the end of			
					work shift			
Chemical name	Denmark	Finland	Fra	nce	Germany DF		Germany TRGS	
Tetrahydrofuran	-	-		-	2 mg/L (urine		2 mg/L (urine -	
109-99-9						n end	Tetrahydrofuran end	
					of shift)		of shift)	
					2 mg/L - BAT (e			
					exposure or er			
					shift) urine	.		
Chemical name	Hungary	Irela	-	Italy	/ MDLPS		Italy AIDII	
Tetrahydrofuran	2 mg/L (urine -		2 mg/L (urine -		-		2 mg/L - urine	
109-99-9	Tetrahydrofuran end	d of Tetrahydrofu	Tetrahydrofuran end of				(Tetrahydrofuran) - end of	
	shift)	shif	t)				shift	
	28 µmol/L (urine							
	Tetrahydrofuran end	d of						
	shift)							
Chemical name	Latvia	Luxemb	ourg	R	omania		Slovakia	
Tetrahydrofuran	-	-		-			2 mg/L (urine -	
109-99-9							ahydrofuran end of	
							osure or work shift)	
Chemical name	Slovenia	Spa		Sw	itzerland	l	United Kingdom	
Tetrahydrofuran	2 mg/L - urine	2 mg/L (2 mg/L (urine -			-	
109-99-9	(Tetrahydrofuran) - a				rofuran end of			
	end of the work sh	ift shif	t)		shift)			

27.7 µmol/L (urine - Tetrahydrofuran end of
shift)

Derived No Effect Level (DNEL)
Predicted No Effect Concentration

No information available. No information available.

(PNEC)

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Contact glove manufacturer for recommendations. Gloves must conform to standard EN

374. Wear suitable gloves. Impervious gloves.

Skin and body protection EN ISO 6529. Wear suitable protective clothing. Long sleeved clothing. Chemical resistant

apron. Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Take off

contaminated clothing and wash before reuse.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorDark Red

Odor Sweet Ether-like odor Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash pointNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNone known

pH No data available None known

pH (as aqueous solution)

No data available

No information available

No data available None known Kinematic viscosity Dynamic viscosity No data available None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known No data available Vapor pressure None known Relative density 0.93g/mL None known

Bulk density

Liquid Density

No data available
No data available

Relative vapor density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Nitrogen oxides (NOx). Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. Not an expected route of exposure. Harmful by inhalation. (based on

components).

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation. May be absorbed through the skin in

harmful amounts. Harmful in contact with skin. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Not an expected route of exposure.

Harmful if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 1,517.80 mg/kg

 ATEmix (dermal)
 1,761.80 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 2.077 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

Unknown acute toxicity

70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

	Chemical name Oral LD50 Tetrahydrofuran = 1650 mg/kg (Rat)		Dermal LD50	Inhalation LC50 > 14.7 mg/L (Rat)4 h	
			> 2000 mg/kg (Rat)		
Pyridine = 866 mg/kg (Rat)		1000 - 2000 mg/kg (Rabbit)	= 12.898 mg/L (Rat) 4 h		
	lodine	= 14 g/kg (Rat)	= 1425 mg/kg (Rabbit) > 2000 mg/kg (Rabbit)	> 4.588 mg/L (Rat)4 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	
Tetrahydrofuran	Carc. 2	

Reproductive toxicity No information available.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

EcotoxicityToxic to aquatic life. Toxic to aquatic life with long lasting effects.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrahydrofuran	-	LC50: 1970 - 2360mg/L (96h, Pimephales promelas) LC50: 2700 - 3600mg/L (96h, Pimephales promelas)	-	-
Pyridine	-	LC50: 63.4 - 73.6mg/L (96h, Pimephales promelas) LC50: =26mg/L (96h, Cyprinus carpio) LC50: =4.6mg/L (96h, Oncorhynchus mykiss)	-	-
lodine	-	LC50: =1.67mg/L (96h, Oncorhynchus mykiss)	-	-

12.2. Persistence and degradability

Persistence and degradability Not Likely.

12.3. Bioaccumulative potential

Bioaccumulation

Bioconcentration factor (BCF) log Pow <= 4

Component Information

Chemical name	Partition coefficient	
Tetrahydrofuran	0.45	
Pyridine	0.65	

12.4. Mobility in soil

Mobility in soil Not expected to adsorb on soil.

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment	
Tetrahydrofuran	The substance is not PBT / vPvB	
Pyridine	The substance is not PBT / vPvB	
lodine	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

SECTION 14: Transport information

<u>IATA</u>

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 UN1993

 Not regulated
 Class 3

14.4 Packing group14.5 Environmental hazardsPacking Group IINot applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1UN number or ID numberUN199314.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Class 3

14.4Packing groupPacking Group II14.5Environmental hazardsNot applicable

14.6 Special precautions for user

Special Provisions None EmS-No. F-E, S-E

14.7 Maritime transport in bulk No information available

according to IMO instruments

RID

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

<u>ADR</u>

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Tetrahydrofuran 109-99-9	RG 84	-
Pyridine 110-86-1	RG 84	-

Germany

TA Luft (German Air Pollution Control Regulation)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Tetrahydrofuran - 109-99-9	75.	-
lodine - 7553-56-2	75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS

P5b - FLAMMABLE LIQUIDS

P5c - FLAMMABLE LIQUIDS

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
lodine - 7553-56-2	Product-type 2: Disinfectants and algaecides not intended
	for direct application to humans or animals Product-type 3:
	Veterinary hygiene Product-type 4: Food and feed area
	Product-type 22: Embalming and taxidermist fluids
	Product-type 1: Human hygiene

International Inventories

TSCA All of the components of this product are listed in the TSCA Inventory or exempt.

DSL/NDSL

EINECS/ELINCS

Listed or exempt

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Revision date 02-Jul-2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided herein is based on sources believed to be reliable as of the issue date of this document, and pertains only to the material designated. Glen Research LLC makes no warranty or representation to its completeness, accuracy or currency. This material is intended for use by persons with the pertinent technical skills an at their discretion and risk. It is responsibility of the user to determine te product's suitability for its intended use, the product's safe use and the product's proper disposal. disposal of hazardous material may be subject to federal. state or local regulations.

End of Safety Data Sheet