

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Jul-2024 Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Catalog Number:	Product Description:
40-4042-XX	2.5% Dichloroacetic acid in Dichloromethane

Product Code(s)40-4042-XX **Product Name**Deblocking Mix

Pure substance/mixtureSubstance
Contains Dichloromethane; Dichloroacetic acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use For research use only

Uses advised against

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA)

section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating

removal.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Glen Research LLC 22825 Davis Drive Sterling, VA 20164 USA

For further information, please contact

E-mail address support@glenresearch.com

Website www.glenresearch.com

Company Phone Number 1-703-437-6191

1.4. Emergency telephone number

Emergency Telephone CHEMTREC Customer Number (CCN): 234802 Glen Research Corporation

US: 1-800-424-9300 or Local: +1-703-527-3887

EMEA: +44 20 3885 0382 APAC: +65 3163 8374

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 4 - (H312)

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Carcinogenicity	Category 2 - (H351)

^{- (}H225)

2.2. Label elements

Contains Dichloromethane; Dichloroacetic acid



Signal word Danger

Hazard statements

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H318 - Causes serious eye damage

H351 - Suspected of causing cancer

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Toxic to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Dichloromethane	95-99	No data available	200-838-9	Carc. 2 (H351)	-	-	-
75-09-2			(602-004-00				
			-3)				
Dichloroacetic acid	1-5	No data available	201-207-0	Skin Corr. 1A (H314)	-	-	-
79-43-6			(607-066-00	Aquatic Acute 1 (H400)			
			-5)				

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
Dichloromethane 75-09-2	1600	2000	79.5	No data available	No data available
Dichloroacetic acid 79-43-6	2820	510	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Get immediate medical attention. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. If symptoms

persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Wear personal protective clothing

(see section 8). Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products

Hydrogen chloride. Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. For small spills absorb material on dry

rags, cat litter or similar absorbent material and dispose of in the trash.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Take up mechanically, placing in appropriate

containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using

this product. Take off contaminated clothing and wash before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Dichloromethane	TWA: 353 mg/m ³	TWA: 50 ppm	TWA: 50 ppm	TWA: 353 mg/m ³	TWA: 100 ppm
75-09-2	TWA: 100 ppm STEL: 706 mg/m ³	TWA: 175 mg/m ³ STEL 200 ppm	TWA: 177 mg/m ³ STEL: 200 ppm	TWA: 100 ppm STEL: 706 mg/m ³	TWA: 353 mg/m ³ STEL: 200 ppm
	STEL: 200 ppm	STEL 700 mg/m ³	STEL: 706 mg/m ³	STEL: 200 ppm	STEL: 706 mg/m ³
	Sk*	Sk*	Sk*	Sk*	Sk*
Dichloroacetic acid	-	-	TWA: 0.5 ppm	TWA: 4.0 mg/m ³	-
79-43-6			TWA: 2.7 mg/m³ Sk*		
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Dichloromethane	TWA: 353 mg/m ³	TWA: 200 mg/m ³	TWA: 35 ppm	TWA: 35 ppm	TWA: 50 ppm
75-09-2	TWA: 100 ppm	Sk*	TWA: 122 mg/m ³	TWA: 120 mg/m ³	TWA: 177 mg/m ³
	STEL: 706 mg/m ³	Ceiling: 500 mg/m ³	STEL: 706 mg/m ³	STEL: 70 ppm	STEL: 100 ppm
	STEL: 200 ppm Sk*		STEL: 200 ppm Sk*	STEL: 250 mg/m ³ Sk*	STEL: 353 mg/m ³ Sk*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Dichloromethane	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 100 ppm	TWA: 100 ppm
75-09-2	TWA: 178 mg/m ³	TWA: 180 mg/m ³	TWA: 180 mg/m ³	TWA: 353 mg/m ³	TWA: 353 mg/m ³
	STEL: 100 ppm STEL: 356 mg/m ³	Sk*	Peak: 100 ppm Peak: 360 mg/m ³	STEL: 200 ppm STEL: 706 mg/m ³	STEL: 200 ppm STEL: 706 mg/m ³
	Sk*		Sk*	Sk*	Sk*
Dichloroacetic acid	-	TWA: 0.2 ppm	TWA: 0.2 ppm	-	-
79-43-6		TWA: 1.1 mg/m ³	TWA: 1.1 mg/m ³		
		Sk*	Peak: 0.2 ppm		
			Peak: 1.1 mg/m ³ Sk*		
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Dichloromethane	TWA: 100 ppm	TWA: 175 mg/m ³	TWA: 50 ppm	TWA: 120 mg/m ³	TWA: 35 ppm
75-09-2	TWA: 353 mg/m ³	TWA: 50 ppm	TWA: 174 mg/m ³	TWA: 34 ppm	TWA: 120 mg/m ³
	STEL: 200 ppm STEL: 706 mg/m ³	STEL: 353 mg/m ³		STEL: 150 mg/m ³	STEL: 70 ppm
	Sk*	STEL: 100 ppm Sk*		STEL: 42 ppm Sk*	STEL: 250 mg/m³ Sk*
Dichloroacetic acid	TWA: 0.5 ppm	-	TWA: 0.5 ppm	TWA: 4 mg/m ³	TWA: 4 mg/m ³
79-43-6	STEL: 1.5 ppm		TWA: 2.6 mg/m ³		
01 : 1		D. 4. 14	Sk*		D 1 1
Chemical name Dichloromethane	Luxembourg TWA: 100 ppm	Malta TWA: 100 ppm	Netherlands TWA: 100 ppm	Norway TWA: 15 ppm	Poland TWA: 88 mg/m ³
75-09-2	TWA: 353 mg/m ³	TWA: 353 mg/m ³	TWA: 353 mg/m ³	TWA: 15 ppm TWA: 50 mg/m ³	STEL: 353 mg/m ³
	STEL: 200 ppm	STEL: 200 ppm	STEL: 200 ppm	STEL: 45 ppm	Sk*
	STEL: 706 mg/m ³	STEL: 706 mg/m ³	STEL: 706 mg/m ³	STEL: 150 mg/m ³	
				~	
Chamical name	Sk*	Sk*	Sk*	Sk*	Chain
Chemical name	Sk* Portugal	Sk* Romania	Sk* Slovakia	Slovenia	Spain TWA: 50 ppm
Chemical name Dichloromethane 75-09-2	Sk*	Sk*	Sk*		Spain TWA: 50 ppm TWA: 177 mg/m³
Dichloromethane	Sk* Portugal TWA: 353 mg/m³ TWA: 100 ppm STEL: 706 mg/m³	Sk* Romania TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm	Sk* Slovakia TWA: 100 ppm TWA: 353 mg/m³ Sk*	Slovenia TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm	TWA: 50 ppm TWA: 177 mg/m³ STEL: 100 ppm
Dichloromethane	Sk* Portugal TWA: 353 mg/m³ TWA: 100 ppm STEL: 706 mg/m³ STEL: 200 ppm	Sk* Romania TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm STEL: 706 mg/m³	Sk* Slovakia TWA: 100 ppm TWA: 353 mg/m³	Slovenia TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm STEL: 706 mg/m³	TWA: 50 ppm TWA: 177 mg/m ³
Dichloromethane 75-09-2	Sk* Portugal TWA: 353 mg/m³ TWA: 100 ppm STEL: 706 mg/m³ STEL: 200 ppm Sk*	Sk* Romania TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm	Sk* Slovakia TWA: 100 ppm TWA: 353 mg/m³ Sk*	Slovenia TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm	TWA: 50 ppm TWA: 177 mg/m³ STEL: 100 ppm
Dichloromethane 75-09-2 Dichloroacetic acid	Sk* Portugal TWA: 353 mg/m³ TWA: 100 ppm STEL: 706 mg/m³ STEL: 200 ppm Sk* TWA: 0.5 ppm	Sk* Romania TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm STEL: 706 mg/m³	Sk* Slovakia TWA: 100 ppm TWA: 353 mg/m³ Sk*	Slovenia TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm STEL: 706 mg/m³	TWA: 50 ppm TWA: 177 mg/m³ STEL: 100 ppm
Dichloromethane 75-09-2	Sk* Portugal TWA: 353 mg/m³ TWA: 100 ppm STEL: 706 mg/m³ STEL: 200 ppm Sk* TWA: 0.5 ppm Sk*	Sk* Romania TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm STEL: 706 mg/m³ Sk* -	Sk* Slovakia TWA: 100 ppm TWA: 353 mg/m³ Sk* Ceiling: 706 mg/m³ - Switzerland	Slovenia TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm STEL: 706 mg/m³ Sk* - Uni	TWA: 50 ppm TWA: 177 mg/m³ STEL: 100 ppm STEL: 353 mg/m³
Dichloromethane 75-09-2 Dichloroacetic acid 79-43-6	Sk* Portugal TWA: 353 mg/m³ TWA: 100 ppm STEL: 706 mg/m³ STEL: 200 ppm Sk* TWA: 0.5 ppm Sk*	Sk* Romania TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm STEL: 706 mg/m³ Sk*	Sk* Slovakia TWA: 100 ppm TWA: 353 mg/m³ Sk* Ceiling: 706 mg/m³	Slovenia TWA: 100 ppm TWA: 353 mg/m³ STEL: 200 ppm STEL: 706 mg/m³ Sk* - Uni TWA: 100 ppm Uni	TWA: 50 ppm TWA: 177 mg/m³ STEL: 100 ppm STEL: 353 mg/m³

	Bindande KGV: 70 ppm	STEL: 200 ppm	STEL: 200 ppm
	Bindande KGV: 250 mg/m³	STEL: 706 mg/m³	STEL: 706 mg/m³
	Sk*	Sk*	Sk*
Dichloroacetic acid 79-43-6	-	TWA: 0.4 ppm TWA: 2.2 mg/m³ STEL: 0.4 ppm STEL: 2.2 mg/m³ Sk*	-

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Dichloromethane	-	-	-	800.0 μg/L - bloo	
75-09-2				(Dichloromethane)	
				at the end of the	
				work shift	
				0.3 mg/L - urine	
				(Dichloromethane)	
				at the end of the work shift	
				0.04 mol COHb/m	اام
				Hb (4%) - blood	
				(Carboxyhemoglo	
				n) - at the end of the	
				work shift	
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Dichloromethane	- 7	-	0.2 mg/L - urine	500 μg/L (whole	
75-09-2			(Dichloromethane) -	blood -	blood -
			end of shift	Dichloromethane	
			3.5 % - blood	immediately after	
			(Carboxyhémoglobi ne sanguine) - end	exposure) 500 µg/L - BAT	exposure)
			of shift	(immediately afte	r
			Or or mit	exposure) blood	
				0.1 mg/L - (durin	
				exposure, at least	~ I
				hours after	
				beginning of	
				exposure) - whole	e
				blood	
				0.2 mg/L - (durin	
				exposure, at least	2
				hours after	
				beginning of exposure) - whole	
				blood	7
				0.5 mg/L - (durin	a
				exposure, at least	
				hours after	
				beginning of	
				exposure) - whole	e
				blood	
				1 mg/L - (during	· I
				exposure, at least hours after	4
				beginning of	
				exposure) - whole	e
				blood	
Chemical name	Hungary	Irelan		/ MDLPS	Italy AIDII
Dichloromethane	0.3 mg/L (urine -		in (blood -	-	0.3 mg/L - urine
75-09-2	Dichloromethane end	d of Carboxyhem	oglobin	(C	Dichloromethane) - end

	shift) 3.5 µmol/L (urine - Dichloromethane end of shift)	measure at end of shift) 0.3 mg/L (urine - Methylene chloride measure at end of shift) 1 mg/L (blood - Methylene chloride measure at end of shift)		of shift
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Dichloromethane 75-09-2	-	-		1 mg/L (blood - Dichloromethane end of exposure or work shift) 5 % of hemoglobin (blood - Carboxyhemoglobin end of exposure or work shift)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Dichloromethane 75-09-2	500 µg/L - blood (Dichloromethane) - immediately after exposure	0.3 mg/L (urine - Dichloromethane end of shift)	0.5 mg/L (whole blood - Dichloromethane end of shift) 5.9 µmol/L (whole blood - Dichloromethane end of shift) 5 % (whole blood - Carbon monoxide in hemoglobin end of shift)	30 ppm - end-tidal breath (Carbon monoxide) - post shift

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available. No information available.

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Contact glove manufacturer for recommendations. Gloves must conform to standard EN

374. Wear suitable gloves. Impervious gloves.

Skin and body protection EN ISO 6529. Wear suitable protective clothing. Long sleeved clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

Clear Liquid **Appearance** Color Clear Odor Sweet Mild **Odor threshold** 214 ppm

Property Values Remarks • Method

Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known **Flammability** No data available None known None known

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known No data available None known

pH (as aqueous solution) No data available No information available

Kinematic viscosity No data available None known Dynamic viscosity No data available None known Water solubility Slightly soluble None known Solubility(ies) No data available None known Partition coefficient No data available None known No data available Vapor pressure None known Relative density 1.327g/mL None known

Bulk density No data available **Liquid Density** No data available

Relative vapor density No data available None known

Particle characteristics

No information available **Particle Size Particle Size Distribution** No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

Conditions to avoidNone known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Hydrogen chloride. Carbon oxides. Chlorine.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye damage.

May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 1,621.00 mg/kg

 ATEmix (dermal)
 1,838.80 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 82.00 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

Component Information

Chemical name	Chemical name Oral LD50		Inhalation LC50	
Dichloromethane	= 1600 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 53 mg/L (Rat) 6 h	
Dichloroacetic acid	= 2820 mg/kg (Rat)	= 510 mg/kg (Rabbit)	-	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Dichloromethane	Carc. 2

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Dichloromethane	EC50: >500mg/L (96h,	LC50: 140.8 - 277.8mg/L	-	EC50: 1532 - 1847mg/L
	Pseudokirchneriella	(96h, Pimephales		(48h, Daphnia magna)
	subcapitata)	promelas)		EC50: =190mg/L (48h,
	EC50: >500mg/L (72h,	LC50: 262 - 855mg/L		Daphnia magna)
	Pseudokirchneriella	(96h, Pimephales		_
	subcapitata)	promelas)		
		LC50: =193mg/L (96h,		
		Lepomis macrochirus)		

12.2. Persistence and degradability

Persistence and degradability Not Likely.

12.3. Bioaccumulative potential

Bioaccumulation

Bioconcentration factor (BCF) log Pow <= 4

Component Information

Chemical name	Partition coefficient
Dichloromethane	1.25

12.4. Mobility in soil

Mobility in soil Not expected to adsorb on soil.

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Dichloromethane	The substance is not PBT / vPvB
Dichloroacetic acid	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

No information available. **Endocrine disrupting properties**

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Dispose of in accordance with federal, state and local regulations. Do not reuse empty

containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN2922 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Class 8, (6.1) 14.4 Packing group Packing Group III 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

14.1 UN number or ID number UN2922 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Class 8, (6.1)
Packing Group III
Not applicable

14.6 Special precautions for user Special Provisions

Special Provisions EmS-No.None
F-A, S-B

14.7 Maritime transport in bulk No information available according to IMO instruments

RID

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 Not regulated Not regulated Not applicable

14.6 Special precautions for user

Special Provisions None

ADR

14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable

14.6 Special precautions for user

Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Dichloromethane	RG 12	-
75-09-2		

Germany

TA Luft (German Air Pollution Control Regulation)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Dichloromethane - 75-09-2	59.	-
	75.	
Dichloroacetic acid - 79-43-6	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

EU - Water Framework Directive (2000/60/EC)

Chemical name	EU - Water Framework Directive (2000/60/EC)
Dichloromethane - 75-09-2	Priority substance

EU - Environmental Quality Standards (2008/105/EC)

Chemical name	EU - Environmental Quality Standards (2008/105/EC)
Dichloromethane - 75-09-2	Priority substance

International Inventories

TSCA All of the components of this product are listed in the TSCA Inventory or exempt. This

chemical/product is not and cannot be distributed in commerce (as defined in TSCA section

3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating

removal.

DSL/NDSL

EINECS/ELINCS

Listed or exempt

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Revision date 01-Jul-2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided herein is based on sources believed to be reliable as of the issue date of this document, and pertains only to the material designated. Glen Research LLC makes no warranty or representation to its completeness, accuracy or currency. This material is intended for use by persons with the pertinent technical skills an at their discretion and risk. It is responsibility of the user to determine te product's suitability for its intended use, the product's safe use and the product's proper disposal. disposal of hazardous material may be subject to federal. state or local regulations.