

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Jul-2024 Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Catalog Number:	Product Description:
40-4010-XX	Tetrahydrofuran/ 2,6-Lutidine/ Acetic Anhydride

Product Code(s)
40-4010-XX
Product Name
Cap Mix A

**Pure substance/mixture** Mixture Contains Acetic Anhydride; Tetrahydrofuran

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use For research use only

Uses advised against Not for human diagnostic use

## 1.3. Details of the supplier of the safety data sheet

### **Manufacturer**

Glen Research LLC 22825 Davis Drive Sterling, VA 20164 USA

### For further information, please contact

E-mail address support@glenresearch.com

Website www.glenresearch.com

**Company Phone Number** 1-703-437-6191

### 1.4. Emergency telephone number

Emergency Telephone CHEMTREC Customer Number (CCN): 234802 Glen Research Corporation

US: 1-800-424-9300 or Local: +1-703-527-3887

EMEA: +44 20 3885 0382 APAC: +65 3163 8374

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to

Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)

Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Respiratory irritation	
Flammable liquids	Category 2 - (H225)

#### 2.2. Label elements

Contains Acetic Anhydride; Tetrahydrofuran



Signal word Danger

#### **Hazard statements**

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eve damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H225 - Highly flammable liquid and vapor

EUH019 - May form explosive peroxides

## Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

## **Additional information**

This product requires tactile warnings if supplied to the general public.

## 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Tetrahydrofuran	74-86	No data available	(603-025-00	Eye Irrit. 2 (H319)	Eye Irrit. 2 ::	-	-
109-99-9			-0)	Carc. 2 (H351)	C>=25%		
			203-726-8	STOT SE 3 (H335)	STOT SE 3 ::		
				Flam. Liq. 2 (H225)	C>=25%		

				(EUH019)			
Acetic Anhydride 108-24-7	7-13	No data available	(607-008-00 -9) 203-564-8	. ,	Eye Dam. 1 :: 5%<=C<25% Eye Irrit. 2 :: 1%<=C<5% Skin Corr. 1B :: C>=25% Skin Irrit. 2 ::	-	-
					5%<=C<25% STOT SE 3 :: C>=5%		
2,6-Lutidine 108-48-5	7-13	No data available	203-587-3	No data available	-	-	-

### Full text of H- and EUH-phrases: see section 16

#### **Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
Tetrahydrofuran 109-99-9	1650	2000	No data available	No data available	No data available
Acetic Anhydride 108-24-7	630	4000	4.2	No data available	No data available
2,6-Lutidine 108-48-5	400	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General advice	Show this safety data sheet	to the doctor in attendance.	Immediate medical attention is

required. IF exposed or concerned: Get medical advice/attention.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention. If symptoms persist, call a physician. If breathing

has stopped, give artificial respiration. Get medical attention immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.

Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Get medical attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing. Avoid breathing vapors or mists.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Nitrogen oxides (NOx). Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid breathing

vapors or mists.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains. For small spills absorb material on dry

rags, cat litter or similar absorbent material and dispose of in the trash.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

**General hygiene considerations** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.

#### 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Tetrahydrofuran	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	STEL: 100 ppm	TWA: 50 ppm
109-99-9	TWA: 150 mg/m <sup>3</sup>	TWA: 150 mg/m <sup>3</sup>	TWA: 150 mg/m <sup>3</sup>	STEL: 300.0 mg/m <sup>3</sup>	TWA: 150 mg/m <sup>3</sup>
	STEL: 100 ppm	STEL 100 ppm	STEL: 100 ppm	TWA: 50.0 ppm	STEL: 100 ppm
	STEL: 300 mg/m <sup>3</sup>	STEL 300 mg/m <sup>3</sup>	STEL: 300 mg/m <sup>3</sup>	TWA: 150.0 mg/m <sup>3</sup>	STEL: 300 mg/m <sup>3</sup>
	*	H*	D*	K*	*
Acetic Anhydride	-	TWA: 5 ppm	TWA: 1 ppm	-	TWA: 0.5 ppm
108-24-7		TWA: 20 mg/m <sup>3</sup>	TWA: 4.2 mg/m <sup>3</sup>		TWA: 2.5 mg/m <sup>3</sup>
		STEL 10 ppm	STEL: 3 ppm		STEL: 2 ppm

			STEL 40 mg/m <sup>3</sup>	STEL: 13 mg/m <sup>3</sup>			STEL: 10 mg/m <sup>3</sup>	
Chemical name	(	Cyprus	Czech Republic	Denmark		stonia	Finland	
Tetrahydrofuran 109-99-9	STEL:	* _: 100 ppm : 300 mg/m <sup>3</sup> A: 50 ppm 150 mg/m <sup>3</sup>	TWA: 150 mg/m <sup>3</sup> Ceiling: 300 mg/m <sup>3</sup> D*	TWA: 50 ppm TWA: 150 mg/m³ H* STEL: 300 mg/m³ STEL: 100 ppm	TWA: TWA: 1 STEL: STEL: 3	S+ : 50 ppm : 50 mg/m <sup>3</sup> 100 ppm :300 mg/m <sup>3</sup> A*	TWA: 50 ppm TWA: 150 mg/m³ STEL: 100 ppm STEL: 300 mg/m³ iho*	
Acetic Anhydride 108-24-7		-	TWA: 4 mg/m <sup>3</sup> Ceiling: 20 mg/m <sup>3</sup>	Ceiling: 2 ppm Ceiling: 20 mg/m <sup>3</sup>	STEL	_: 5 ppm 20 mg/m³	STEL: 5 ppm STEL: 21 mg/m <sup>3</sup>	
Chemical name	F	-rance	Germany TRGS	Germany DFG		eece	Hungary	
Tetrahydrofuran 109-99-9	TWA: STEL	A: 50 ppm 150 mg/m <sup>3</sup> -: 100 ppm : 300 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 150 mg/m <sup>3</sup> H*	TWA: 20 ppm TWA: 60 mg/m³ Peak: 40 ppm Peak: 120 mg/m³	TWA: TWA: 5 STEL:	200 ppm 590 mg/m <sup>3</sup> 250 ppm 735 mg/m <sup>3</sup>	TWA: 150 mg/m³ TWA: 50 ppm STEL: 300 mg/m³ STEL: 100 ppm b*	
Acetic Anhydride 108-24-7		EL: 5 ppm .: 20 mg/m³	TWA: 0.1 ppm TWA: 0.42 mg/m <sup>3</sup>	TWA: 0.1 ppm TWA: 0.42 mg/m <sup>3</sup> Peak: 0.2 ppm Peak: 0.84 mg/m <sup>3</sup>	TWA: : STEL	.: 5 ppm 20 mg/m³ .: 5 ppm 20 mg/m³	TWA: 0.42 mg/m <sup>3</sup> STEL: 0.84 mg/m <sup>3</sup>	
Chemical name		reland	Italy MDLPS	Italy AIDII		atvia	Lithuania	
Tetrahydrofuran 109-99-9	TWA: STEL	A: 50 ppm 150 mg/m <sup>3</sup> _: 100 ppm : 300 mg/m <sup>3</sup> Sk*	TWA: 50 ppm TWA: 150 mg/m <sup>3</sup> STEL: 100 ppm STEL: 300 mg/m <sup>3</sup> cute*	TWA: 50 ppm TWA: 147 mg/m³ STEL: 100 ppm STEL: 295 mg/m³ cute*	TWA: 1 STEL: STEL: 3	50 ppm 50 mg/m <sup>3</sup> 100 ppm 300 mg/m <sup>3</sup> Ada*	O* TWA: 50 ppm TWA: 150 mg/m³ STEL: 100 ppm STEL: 300 mg/m³	
Acetic Anhydride 108-24-7	TWA:	'A: 1 ppm : 2.5 mg/m <sup>3</sup> EL: 3 ppm .: 10 mg/m <sup>3</sup>	-	TWA: 1 ppm TWA: 4.2 mg/m³ STEL: 3 ppm STEL: 12.5 mg/m³	TWA:	5 mg/m <sup>3</sup>	Ceiling: 5 ppm Ceiling: 20 mg/m <sup>3</sup>	
Chemical name	Lux	embourg	Malta	Netherlands	Norway		Poland	
Tetrahydrofuran 109-99-9	STEL: STEL: TW/	Peau* _: 100 ppm : 300 mg/m³ A: 50 ppm 150 mg/m³	skin* STEL: 100 ppm STEL: 300 mg/m³ TWA: 50 ppm TWA: 150 mg/m³	TWA: 100 ppm TWA: 300 mg/m³ STEL: 200 ppm STEL: 600 mg/m³ H*	TWA: 1 STEL STEL: 1	50 ppm 50 mg/m³ : 75 ppm 87.5 mg/m³ H*	STEL: 300 mg/m <sup>3</sup> TWA: 150 mg/m <sup>3</sup> skóra*	
Acetic Anhydride 108-24-7		-	-	-		g: 5 ppm 20 mg/m <sup>3</sup>	STEL: 24 mg/m <sup>3</sup> TWA: 12 mg/m <sup>3</sup>	
Chemical name	Р	ortugal	Romania	Slovakia		venia	Spain	
Tetrahydrofuran 109-99-9	TWA: STEL:	A: 50 ppm 150 mg/m³ _: 100 ppm : 300 mg/m³ utânea*	TWA: 50 ppm TWA: 150 mg/m³ STEL: 100 ppm STEL: 300 mg/m³ P*	TWA: 50 ppm TWA: 150 mg/m³ K* Ceiling: 300 mg/m³	TWA: 1 STEL: STEL: 3	50 ppm 50 mg/m³ 100 ppm 300 mg/m³ K*	TWA: 50 ppm TWA: 150 mg/m³ STEL: 100 ppm STEL: 300 mg/m³ vía dérmica*	
Acetic Anhydride 108-24-7		'A: 1 ppm EL: 1 ppm	TWA: 3.6 ppm TWA: 15 mg/m <sup>3</sup> STEL: 6 ppm STEL: 25 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 21 mg/m³ Ceiling: 21 mg/m³	TWA: :	.: 5 ppm 21 mg/m³ .: 5 ppm 21 mg/m³	TWA: 5 ppm TWA: 21 mg/m³	
Chemical name			veden	Switzerland			ted Kingdom	
Tetrahydrofuran 109-99-9		NGV: ' Bindande I Bindande K	: 50 ppm 150 mg/m³ KGV: 100 ppm GV: 300 mg/m³	TWA: 50 ppm TWA: 150 mg/n STEL: 100 ppn STEL: 300 mg/n H*	n <sup>3</sup> TW/ n ST		VA: 50 ppm A: 150 mg/m³ EL: 100 ppm L: 300 mg/m³ Sk*	
Acetic Anhydride 108-24-7		Bindande KGV: 5 ppm Bindande KGV: 20 mg/m <sup>3</sup>		TWA: 1 ppm TWA: 4 mg/m³ STEL: 2 ppm		TW.	TWA: 0.5 ppm TWA: 2.5 mg/m³ STEL: 2 ppm STEL: 10 mg/m³	

**Biological occupational exposure limits** 

Chemical name	European Union		Austria	Bulç	garia	Croatia		Czech Republic
Tetrahydrofuran	-		-		-	2 mg/L - urir		-
109-99-9						(Tetrahydrofur		
						at the end of		
				_		work shift		
Chemical name	Denmark		Finland	Fra	nce	Germany DF		Germany TRGS
Tetrahydrofuran	-		-		•	2 mg/L (urine		2 mg/L (urine -
109-99-9							n end	Tetrahydrofuran end
						of shift)		of shift)
						2 mg/L - BAT (e exposure or er		
						shift) urine		
Chemical name	Hungary		Ireland	4	ltalı	/ MDLPS		Italy AIDII
Tetrahydrofuran	2 mg/L (urine -		2 mg/L (ui			-		2 mg/L - urine
109-99-9	Tetrahydrofuran en	d of	Tetrahydrofuran end of				(Tetr	ahydrofuran) - end of
100 00 0	shift) shift)					(	shift	
	28 µmol/L (urine	_	J,					
	Tetrahydrofuran en							
	shift)							
Chemical name	Latvia		Luxembo	Luxembourg		omania		Slovakia
Tetrahydrofuran	-		-			-		2 mg/L (urine -
109-99-9								rahydrofuran end of
								osure or work shift)
Chemical name	Slovenia		Spain		Switzerland			United Kingdom
Tetrahydrofuran	2 mg/L - urine		2 mg/L (ui			J/L (urine -		-
109-99-9	(Tetrahydrofuran) - at the		Tetrahydrofura			rofuran end of		
	end of the work sh	ift	shift)			shift)		
						nol/L (urine -		
						rofuran end of		
						shift)		

Derived No Effect Level (DNEL)
Predicted No Effect Concentration
(PNEC)

No information available. No information available.

8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems

Personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

Hand protection Contact glove manufacturer for recommendations. Gloves must conform to standard EN

374. Wear suitable gloves. Impervious gloves.

**Skin and body protection** EN ISO 6529. Wear suitable protective clothing. Long sleeved clothing. Chemical resistant

apron. Antistatic boots.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

**Environmental exposure controls** No information available.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceClear LiquidColorClear

Odor Pungent Sweet Ether-like odor Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known
Autoignition temperature No data available None known
Decomposition temperature
None known

oHNo data availableNone knownpH (as aqueous solution)No data availableNo information available

None known Kinematic viscosity No data available No data available None known Dynamic viscosity Water solubility Completely soluble None known No data available Solubility(ies) None known **Partition coefficient** No data available None known Vapor pressure No data available None known Relative density 0.90g/mL None known

Bulk density

No data available

Liquid Density

No data available

Relative vapor density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

**Conditions to avoid** Heat, flames and sparks. Excessive heat.

10.5. Incompatible materials

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Nitrogen oxides (NOx). Carbon oxides.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. Harmful by inhalation. (based on components).

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye damage.

May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed. (based on

components).

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Coughing and/ or wheezing.

## Acute toxicity

#### **Numerical measures of toxicity**

No information available

### The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 911.80 mg/kg

 ATEmix (dermal)
 2,666.70 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-dust/mist)
 4.20 mg/l

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

#### Unknown acute toxicity

80 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

90 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Tetrahydrofuran	= 1650 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 14.7 mg/L (Rat)4 h	
Acetic Anhydride	= 630 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	4.2 - 8.5 mg/L (Rat) 4 h	
2,6-Lutidine	= 400 mg/kg (Rat)	-	-	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Causes serious eye

damage.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	
Tetrahydrofuran	Carc. 2	

Reproductive toxicity No information available.

**STOT - single exposure** May cause respiratory irritation.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** 

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrahydrofuran	-	LC50: 1970 - 2360mg/L (96h, Pimephales promelas) LC50: 2700 - 3600mg/L (96h, Pimephales promelas)	-	-

## 12.2. Persistence and degradability

Persistence and degradability Not Likely.

12.3. Bioaccumulative potential

**Bioaccumulation** 

**Bioconcentration factor (BCF)** log Pow <= 4

**Component Information** 

Chemical name		Partition coefficient			
Tetrahydrofuran		0.45			
	Acetic Anhydride	-0.27			

### 12.4. Mobility in soil

Mobility in soil Not expected to adsorb on soil.

**Mobility** Soluble in water.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment	
Tetrahydrofuran	The substance is not PBT / vPvB	
Acetic Anhydride	The substance is not PBT / vPvB	

## 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

## 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## **SECTION 14: Transport information**

IATA

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
UN2924
Not regulated
Class 3, (8)
Packing Group II
Not applicable

14.6 Special precautions for user

Special Provisions None

**IMDG** 

14.1 UN number or ID number
 14.2 UN proper shipping name
 14.3 Transport hazard class(es)
 14.4 Packing group
 14.5 Environmental hazards
 UN2924

 Not regulated
 Class 3, (8)
 Packing Group II

 Not applicable

14.6 Special precautions for user

Special Provisions
EmS-No.

7 Maritime transport in bulk

None
F-E, S-C
No information available

14.7 Maritime transport in bulk according to IMO instruments

RID

14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated
Not regulated
Not regulated
Not applicable

14.6 Special precautions for user

Special Provisions None

ADR

14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot regulated14.5Environmental hazardsNot applicable

14.6 Special precautions for user

Special Provisions None

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Tetrahydrofuran	RG 84	-
109-99-9		

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Tetrahydrofuran - 109-99-9	75.	-
Acetic Anhydride - 108-24-7	75.	-

### **Persistent Organic Pollutants**

Not applicable

## Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### International Inventories

**TSCA** All of the components of this product are listed in the TSCA Inventory or exempt.

DSL/NDSL
Listed or exempt
EINECS/ELINCS
Listed or exempt

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

#### 15.2. Chemical safety assessment

Chemical Safety Report No information available

## **SECTION 16: Other information**

## Key or legend to abbreviations and acronyms used in the safety data sheet

### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H226 - Flammable liquid and vapor

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

## Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

Revision date 01-Jul-2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided herein is based on sources believed to be reliable as of the issue date of this document, and pertains only to the material designated. Glen Research LLC makes no warranty or representation to its completeness, accuracy or currency. This material is intended for use by persons with the pertinent technical skills an at their discretion and risk. It is responsibility of the user to determine te product's suitability for its intended use, the product's safe use and the product's proper disposal. disposal of hazardous material may be subject to federal. state or local regulations.

**End of Safety Data Sheet**