

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date 01-Jul-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dreduct Catalog Number	Braduet Description:
Product Catalog Number: 40-4132-XX	Product Description: 0.02M lodine in Tetrahydrofuran/ Water/ Pyridine
40-4132-77	
Product Code(s)	Product Name
40-4132-XX	Oxidizing Solution
Pure substance/mixture	Mixture
Contains Tetrahydrofuran; Pyridine	
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended use	For research use only
Uses advised against	Not for human diagnostic use
1.3. Details of the supplier of the sa	afety data sheet
<u>···· ···· - · ··· - ··· - ··· - ··· - ··· - ··· - ··· - ··· - ··· - ··· - ··</u>	
Manufacturer	
Glen Research LLC	
22825 Davis Drive	
Sterling, VA 20164 USA	
For further information, please contact	t
E-mail address	support@glenresearch.com
Website	www.glenresearch.com
Company Phone Number	1-703-437-6191
Company i none Number	
1.4. Emergency telephone number	_
For even and Talankana	
Emergency Telephone	CHEMTREC Customer Number (CCN): 234802 Glen Research Corporation
	US: 1-800-424-9300 or Local: +1-703-527-3887 EMEA: +44 20 3885 0382
	APAC: +65 3163 8374

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Oral	Category 4 - (H302)
Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity (single exposure)	Category 3 - (H335)

Category 3 Respiratory irritation	
Chronic aquatic toxicity	Category 3 - (H412)
Flammable liquids	Category 2 - (H225)

2.2. Label elements

Contains Tetrahydrofuran; Pyridine



Danger

Hazard statements

H302 - Harmful if swallowed
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H351 - Suspected of causing cancer
H412 - Harmful to aquatic life with long lasting effects
H225 - Highly flammable liquid and vapor
EUH019 - May form explosive peroxides

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or alcohol-resistant foam to extinguish

P501 - Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires tactile warnings if supplied to the general public.

2.3. Other hazards

Toxic to aquatic life.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Tetrahydrofuran	85-93	No data available	(603-025-00	Eye Irrit. 2 (H319)	Eye Irrit. 2 ::	-	-
109-99-9			-0)	Carc. 2 (H351)	C>=25%		
			203-726-8	STOT SE 3 (H335)	STOT SE 3 ::		
				Flam. Liq. 2 (H225)	C>=25%		
				(EUH019)			
Pyridine	0.1-1	No data available	203-809-9	Acute Tox. 4 (H302)	-	-	-
110-86-1			(613-002-00	Acute Tox. 4 (H312)			

				-7)	Acute Tox. 4 (H332) Flam. Liq. 2 (H225)			
ſ	lodine 7553-56-2	0.1-1	No data available	231-442-4	Acute Tox. 4 (H312) Acute Tox. 4 (H332)	-	-	-
	7555-50-2				Aquatic Acute 1 (H400)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Tetrahydrofuran 109-99-9	1650	2000	No data available	No data available	No data available
Pyridine 110-86-1	866	1000	12.898	No data available	No data available
lodine 7553-56-2	14000	1425 2000	4.588	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician. Not an expected route of exposure. IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	May cause redness and tearing of the eyes. Burning sensation.
4.3. Indication of any immediate me	edical attention and special treatment needed
Note to physicians	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from the	e substance or mixture
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazardous combustion products	Nitrogen oxides (NOx). Carbon oxides.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
6.3. Methods and material for contain	inment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children.
7.3. Specific end use(s)	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Tetrahydrofuran 109-99-9 Pyridine 110-86-1	TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm STEL: 300 mg/m ³ * TWA: 5 ppm TWA: 15 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³ STEL 100 ppm STEL 300 mg/m ³ H* TWA: 5 ppm TWA: 5 ppm TWA: 15 mg/m ³ STEL 20 ppm STEL 60 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm STEL: 300 mg/m ³ D* TWA: 1 ppm TWA: 3.3 mg/m ³	STEL: 100 ppm STEL: 300.0 mg/m ³ TWA: 50.0 ppm TWA: 150.0 mg/m ³ K* TWA: 15.0 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm STEL: 300 mg/m ³ * TWA: 5 ppm TWA: 15 mg/m ³
lodine 7553-56-2	-	Sk* TWA: 0.1 ppm TWA: 1 mg/m ³ STEL 0.1 ppm STEL 1 mg/m ³ Ceiling: 0.1 ppm Ceiling: 1 mg/m ³ Sk*	TWA: 0.01 ppm TWA: 0.1 mg/m ³ STEL: 0.1 ppm STEL: 1 mg/m ³	TWA: 3.0 mg/m ³	STEL: 0.1 ppm STEL: 1.1 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Tetrahydrofuran 109-99-9	* STEL: 100 ppm STEL: 300 mg/m ³	TWA: 150 mg/m ³ Ceiling: 300 mg/m ³ D*	TWA: 50 ppm TWA: 150 mg/m ³ H*	S+ TWA: 50 ppm TWA: 150 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm

				· '	
	TWA: 50 ppm TWA: 150 mg/m ³		STEL: 300 mg/m ³ STEL: 100 ppm	STEL: 100 ppm STEL: 300 mg/m ³	STEL: 300 mg/m ³ iho*
				A*	
Pyridine	TWA: 5 ppm	TWA: 5 mg/m ³	TWA: 5 ppm	TWA: 5 ppm	TWA: 1 ppm
110-86-1	TWA: 15 mg/m ³	Sk*	TWA: 15 mg/m ³	TWA: 15 mg/m ³	TWA: 3 mg/m ³
		Ceiling: 10 mg/m ³	STEL: 10 ppm		STEL: 5 ppm
			STEL: 30 mg/m ³		STEL: 16 mg/m ³ Sk*
lodine	_	TWA: 0.1 mg/m ³	Ceiling: 0.1 ppm	STEL: 0.1 ppm	STEL: 0.1 ppm
7553-56-2		Ceiling: 1 mg/m ³	Ceiling: 1 mg/m ³	STEL: 1 mg/m ³	STEL: 1.1 mg/m ³
		5 5	5 5	J	Sk*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Tetrahydrofuran	TWA: 50 ppm	TWA: 50 ppm	TWA: 20 ppm	TWA: 200 ppm	TWA: 150 mg/m ³
109-99-9	TWA: 150 mg/m ³	TWA: 150 mg/m ³	TWA: 60 mg/m ³	TWA: 590 mg/m ³	TWA: 50 ppm
	STEL: 100 ppm	H*	Peak: 40 ppm Peak: 120 mg/m ³	STEL: 250 ppm STEL: 735 mg/m ³	STEL: 300 mg/m ³
	STEL: 300 mg/m ³		*	STEL. 755 mg/m	STEL: 100 ppm b*
Pyridine	TWA: 5 ppm	-	Sk*	TWA: 5 ppm	TWA: 15 mg/m ³
110-86-1	TWA: 15 mg/m ³			TWA: 15 mg/m ³	TWA: 5 ppm
	STEL: 10 ppm			STEL: 10 ppm	STEL: 30 mg/m ³
	STEL: 30 mg/m ³			STEL: 30 mg/m ³	STEL: 10 ppm
					Sk*
lodine	STEL: 0.1 ppm		Sk*	TWA: 0.1 ppm	sz+ TWA: 1 mg/m ³
7553-56-2	STEL: 1 mg/m ³	-	UK UK	TWA: 0.1 ppm TWA: 1 mg/m ³	TWA: 0.1 ppm
1000 00 2				STEL: 0.1 ppm	STEL: 1 mg/m ³
				STEL: 1 mg/m ³	STEL: 0.1 ppm
				Ū.	Sk*
					SZ+
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Tetrahydrofuran 109-99-9	TWA: 50 ppm TWA: 150 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³	TWA: 50 ppm TWA: 147 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³	O* TWA: 50 ppm
103-33-3	STEL: 100 ppm	STEL: 100 ppm	STEL: 100 ppm	STEL: 100 ppm	TWA: 150 mg/m ³
	STEL: 300 mg/m ³	STEL: 300 mg/m ³	STEL: 295 mg/m ³	STEL: 300 mg/m ³	STEL: 100 ppm
	Sk*	cute*	cute*	Ada*	STEL: 300 mg/m ³
Pyridine	TWA: 5 ppm	-	TWA: 1 ppm	TWA: 5 ppm	TWA: 5 ppm
110-86-1	TWA: 15 mg/m ³		TWA: 3.2 mg/m ³	TWA: 15 mg/m ³	TWA: 15 mg/m ³
	STEL: 10 ppm				
lodine	STEL: 30 mg/m ³ TWA: 0.01 ppm	_	TWA: 0.01 ppm	TWA: 1 mg/m ³	Ceiling: 0.1 ppm
7553-56-2	TWA: 0.01 mg/m ³	-	STEL: 0.1 ppm	TWA. Thig/hi	Ceiling: 1 mg/m ³
1000 00 2	STEL: 0.1 ppm				Coming. 1 mg/m
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Tetrahydrofuran	Peau*	skin*	TWA: 100 ppm	TWA: 50 ppm	STEL: 300 mg/m ³
109-99-9	STEL: 100 ppm	STEL: 100 ppm	TWA: 300 mg/m ³	TWA: 150 mg/m ³	TWA: 150 mg/m ³
	STEL: 300 mg/m ³	STEL: 300 mg/m ³	STEL: 200 ppm	STEL: 75 ppm	skóra*
	TWA: 50 ppm TWA: 150 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³	STEL: 600 mg/m ³ H*	STEL: 187.5 mg/m ³ H*	
Pyridine	TWA: 150 mg/m ²	TWA: 150 mg/ms TWA: 5 ppm	TWA: 0.3 ppm	TWA: 5 ppm	TWA: 5 mg/m ³
110-86-1	TWA: 15 mg/m ³	TWA: 15 mg/m ³	TWA: 0.9 mg/m ³	TWA: 15 mg/m ³	Sk*
	5			STEL: 10 ppm	
	1			STEL: 22.5 mg/m ³	
			-	Ceiling: 0.1 ppm	TWA: 0.5 mg/m ³
lodine	-	-			
7553-56-2	-	- Domonia	Slovekie	Ceiling: 1 mg/m ³	STEL: 1 mg/m ³
7553-56-2 Chemical name	- Portugal TWA: 50 ppm	- Romania	Slovakia	Ceiling: 1 mg/m ³ Slovenia	Spain
7553-56-2 Chemical name Tetrahydrofuran	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	Ceiling: 1 mg/m ³ Slovenia TWA: 50 ppm	Spain TWA: 50 ppm
7553-56-2 Chemical name	TWA: 50 ppm TWA: 150 mg/m ³	TWA: 50 ppm TWA: 150 mg/m ³		Ceiling: 1 mg/m ³ Slovenia TWA: 50 ppm TWA: 150 mg/m ³	Spain TWA: 50 ppm TWA: 150 mg/m³
7553-56-2 Chemical name Tetrahydrofuran	TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm STEL: 300 mg/m ³	TWA: 50 ppm	TWA: 50 ppm TWA: 150 mg/m ³	Ceiling: 1 mg/m ³ Slovenia TWA: 50 ppm	Spain TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm STEL: 300 mg/m ³
7553-56-2 Chemical name Tetrahydrofuran	TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm	TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm	TWA: 50 ppm TWA: 150 mg/m ³ K*	Ceiling: 1 mg/m ³ Slovenia TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm	Spain TWA: 50 ppm TWA: 150 mg/m ³ STEL: 100 ppm

				1			1
110-86-1	TWA	A: 15 mg/m ³	TWA: 15 mg/m ³	TWA: 15 mg/m ³	TWA: 15 mg/m ³		TWA: 3 mg/m ³
Iodine	TW	A: 0.01 ppm	TWA: 0.09 ppm	TWA: 0.1 ppm		-	TWA: 0.01 ppm
7553-56-2	STE	EL: 0.1 ppm	TWA: 0.5 mg/m ³	TWA: 1.1 mg/m ³			TWA: 0.1 mg/m ³
			STEL: 0.2 ppm	Ceiling: 1.1 mg/m ³			STEL: 0.1 ppm
			STEL: 1 mg/m ³				STEL: 1 mg/m ³
Chemical name		SI	weden	Switzerland		United Kingdom	
Tetrahydrofuran		NGV	: 50 ppm	TWA: 50 ppm		T۷	VA: 50 ppm
109-99-9			150 mg/m ³	TWA: 150 mg/m			A: 150 mg/m ³
		Bindande	KGV: 100 ppm	STEL: 100 ppm	n STEL:		EL: 100 ppm
		Bindande K	GV: 300 mg/m ³	STEL: 300 mg/n	/m ³ STEL: 300		L: 300 mg/m ³
			_	H*			Sk*
Pyridine	Pyridine NGV:		/: 2 ppm	TWA: 5 ppm		T	WA: 5 ppm
110-86-1			: 7 mg/m ³	TWA: 15 mg/m ³		TW	'A: 16 mg/m ³
	Vägledan		le KGV: 3 ppm	n STEL: 10 ppm		ST	EL: 10 ppm
		Vägledande KGV: 10 mg/m ³		STEL: 30 mg/m ³		STE	EL: 33 mg/m ³
Iodine		Bindande KGV: 0.1 ppm		TWA: 0.1 ppm	TWA: 0.1 ppm		EL: 0.1 ppm
7553-56-2		Bindande KGV: 1 mg/m ³		TWA: 1 mg/m ³		STE	EL: 1.1 mg/m ³
		Ŭ Ŭ		STEL: 0.1 ppm			-
				STEL: 1 mg/m ³			
				Sk* Č			

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulg	garia	Croatia		Czech Republic
Tetrahydrofuran 109-99-9	-	-		-	2 mg/L - urir (Tetrahydrofura at the end of work shift	an) - the	-
Chemical name	Denmark	Finland	Fra	nce	Germany DF	G	Germany TRGS
Tetrahydrofuran 109-99-9	-	-		-	2 mg/L (urine Tetrahydrofurar of shift) 2 mg/L - BAT (e exposure or er shift) urine	n end end of nd of	2 mg/L (urine - Tetrahydrofuran end of shift)
Chemical name	Hungary	Irelan	.	Italy	/ MDLPS		Italy AIDII
Tetrahydrofuran 109-99-9	2 mg/L (urine - Tetrahydrofuran end shift) 28 µmol/L (urine - Tetrahydrofuran end shift)	shift)			-	(Tetra	2 mg/L - urine ahydrofuran) - end of shift
Chemical name	Latvia	Luxembo	ourg	R	omania		Slovakia
Tetrahydrofuran 109-99-9	-	-			-		2 mg/L (urine - rahydrofuran end of osure or work shift)
Chemical name	Slovenia	Spair	1	Sw	itzerland		United Kingdom
Tetrahydrofuran 109-99-9	2 mg/L - urine (Tetrahydrofuran) - at end of the work shif		an end of	Tetrahyd 27.7 μr	g/L (urine - Irofuran end of shift) nol/L (urine - Irofuran end of shift)		-

Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls	Showers Eyewash stations Ventilation systems
Personal protective equipment	
Eye/face protection	Tight sealing safety goggles.
Hand protection	Contact glove manufacturer for recommendations. Gloves must conform to standard EN 374. Wear suitable gloves. Impervious gloves.
Skin and body protection	EN ISO 6529. Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice. Take off contaminated clothing and wash before reuse.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

s.r. mormation on basic physical a		
Physical state	Liquid	
Appearance	Liquid	
Color	Dark Red	
Odor	Sweet Ether-like odor	
Odor threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	eNo data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapor pressure	No data available	None known
Relative density	0.93g/mL	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known

Particle characteristics	
Particle Size	No inf
Particle Size Distribution	No inf

No information available No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. Yes.
10.3. Possibility of hazardous reaction	ons
Possibility of hazardous reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
10.4. Conditions to avoid	
Conditions to avoid	Heat, flames and sparks.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition proc	ducts

Hazardous decomposition products Nitrogen oxides (NOx). Carbon oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Not an expected route of exposure.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Not an expected route of exposure. Harmful if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,783.70 mg/kg
ATEmix (dermal)	2,020.70 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	5.62 mg/l
ATEmix (inhalation-vapor)	99,999.00 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrahydrofuran	= 1650 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 14.7 mg/L (Rat)4 h
Pyridine	= 866 mg/kg (Rat)	1000 - 2000 mg/kg (Rabbit)	= 12.898 mg/L (Rat)4 h
Iodine	= 14 g/kg (Rat)	= 1425 mg/kg (Rabbit) >2000 mg/kg (Rabbit)	> 4.588 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name		European Union			
Tetrahydrofuran		Carc. 2			
Reproductive toxicity	No information available.				
STOT - single exposure	May cause respiratory irritation.				
STOT - repeated exposure	No information available.				

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrahydrofuran	-	LC50: 1970 - 2360mg/L (96h, Pimephales promelas) LC50: 2700 - 3600mg/L (96h, Pimephales promelas)	-	-
Pyridine	-	LC50: 63.4 - 73.6mg/L (96h, Pimephales promelas) LC50: =26mg/L (96h, Cyprinus carpio) LC50: =4.6mg/L (96h, Oncorhynchus mykiss)	-	-
lodine	-	LC50: =1.67mg/L (96h, Oncorhynchus mykiss)	-	-

12.2. Persistence and degradability

Persistence and degradability Not Likely.

12.3. Bioaccumulative potential

Bioaccumulation

Bioconcentration factor (BCF) log Pow <= 4

Component Information

Chemical name	Partition coefficient
Tetrahydrofuran	0.45
Pyridine	0.65

12.4. Mobility in soil

Mobility in soil

Mobility

Soluble in water.

Not expected to adsorb on soil.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Tetrahydrofuran	The substance is not PBT / vPvB
Pyridine	The substance is not PBT / vPvB
lodine	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

SECTION 14: Transport information

<u>IATA</u>

	<u> </u>	
14.2 14.3 14.4 14.5 14.6	UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Environmental hazards Special precautions for user Special Provisions	UN1993 Not regulated Class 3 Packing Group II Not applicable None
IMDO	<u> </u>	
14.1	UN number or ID number	UN1993
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Class 3
	Packing group	Packing Group II
14.5	Environmental hazards	Not applicable
	Special precautions for user	
	pecial Provisions	None
	mS-No.	F-E, S-E
	Maritime transport in bulk	No information available
acco	rding to IMO instruments	
RID		
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3		Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
S	pecial Provisions	None

<u>ADR</u>

14.1 UN num	ber or ID number	Not regulated
14.2 UN prop	per shipping name	Not regulated
14.3 Transpo	ort hazard class(es)	Not regulated
14.4 Packing	group	Not regulated
14.5 Environ	mental hazards	Not applicable
14.6 Special	precautions for user	
Special Provisions		None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Tetrahydrofuran 109-99-9	RG 84	-
Pyridine 110-86-1	RG 84	-

Germany

TA Luft (German Air Pollution Control Regulation)

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
Tetrahydrofuran - 109-99-9	75.	-
lodine - 7553-56-2	75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
lodine - 7553-56-2	Product-type 2: Disinfectants and algaecides not intended
	for direct application to humans or animals Product-type 3:
	Veterinary hygiene Product-type 4: Food and feed area
	Product-type 22: Embalming and taxidermist fluids
	Product-type 1: Human hygiene

International Inventories	
TSCA	All of the components of this product are listed in the TSCA Inventory or exempt.
DSL/NDSL	Listed or exempt
EINECS/ELINCS	Listed or exempt
ENCS	Listed or exempt
IECSC	Listed or exempt
KECI	Listed or exempt
PICCS	Listed or exempt
AIIC	Listed or exempt

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AllC - Australian Inventory of Industrial Chemicals

15.2. Chemical safety assessment

Chemical Safety Report

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

- H312 Harmful in contact with skin
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H351 Suspected of causing cancer

H400 - Very toxic to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWĂ	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Revision date

01-Jul-2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided herein is based on sources believed to be reliable as of the issue date of this document, and pertains only to the material designated. Glen Research LLC makes no warranty or representation to its completeness, accuracy or currency. This material is intended for use by persons with the pertinent technical skills an at their discretion and risk. It is responsibility of the user to determine te product's suitability for its intended use, the product's safe use and the product's proper disposal. disposal of hazardous material may be subject to federal. state or local regulations. End of Safety Data Sheet